Dec	lassified in Part - Sanitize	d Copy Approved for Release 2013/04/26 : CIA-RDP91B00060R000100170033-1
, V T	17 5 m2	SECRET OITOPTX-88 OIT/TRIS LOGGED LOGGED 2 9 JAN 1988
		NPIC/DPG/AD-04/88 15 January 1988
	MEMORANDUM FOR:	Edward Maloney Director, Office of Information Technology
25 X 1	FROM:	Associate Director, Development Programs Group, NPIC
	SUBJECT:	OIA Relocation to Headquarters
25X1 25X1	scheduled to rel for continue providi	per 1989, the DDI's Office of Imagery Analysis (OIA) is locate to the Headquarters Building. OIA has been a tenant in a number of years and is a primary user of many of NPIC's systems and related, unique services. In order to ing access to these systems and services once OIA has become a
25 X 1		NPIC will require substantial communications support between Headquarters that must be in place by 1 August orandum is the initial step in requesting that support.
	communications of not be all incluor of technical exceptions that this require	d is a technical description of those building-to-building capabilities required by NPIC to support OIA. This list may usive but is our current estimate of the requirement. A number changes will be necessary regarding the exact configuration and pefore completion of this project. It should also be noted rement was surfaced earlier and captured in "Cost Estimates for ons Services MPS NO. 04c.
25X1 25X1 25X1 25X1 25X1	Transition Team transition. be contacted	sistance in providing these capabilities is requested. A has been established within NPIC to assist OIA in making their is Chief of this team and may be contacted on is assigned to the team for SI support and may is assigned to the team for rt and may be contacted on
25 🗸 1	Attachment: as stated	
25 X 1	arima e	- All All All All All All All All All Al

